

BULLETIN
OF THE
BROOKLYN ENTOMOLOGICAL SOCIETY

VOL. XXVIII

OCTOBER, 1933

No. 4

ALABAMA COLEOPTERA NOT GENERALLY LISTED
FROM THE GULF COAST STATES EAST OF
THE MISSISSIPPI RIVER, FLA., GA.,
ALA., AND MISS.

By H. P. LÖDING, Mobile, Ala.

In making up a Catalogue of Coleoptera found in the State of Alabama it was noticed that nearly one-sixth of the number were not recorded in Leng's catalogue as occurring in any of the eastern Gulf States and it was thought, that such information might be of interest and value to students of geographical distribution and to taxonomists.

Included in this list are also such species as have been recorded only from a single one of these states, and from no other, and such species in my collection of which Alabama is the type locality.

Unless otherwise designated, all species listed have been collected during the past thirty years either by the author or by his good friend Dr. T. S. Van Aller, or by both, and are at the present time represented with full data in his collection.

Species taken only in the northern half or southern half of the state are designated, respectively, by the letters N or S, all others have been found in both parts.

Where the loan of material has been requested for study or revision the credit for identification is given to such specialist under the family or generic name as the case may be.

For help and assistance with advice and technical knowledge I am greatly indebted to many friends, Dr. E. A. Schwarz, Chas. Dury, Henry Wenzel, and Frederick Blanchard are gratefully and lovingly memorized. From the following I hope to have several more years of kindly cooperation, Chas. Liebeck, Chas. Schaeffer, Chas. Leng, H. C. Fall, Dr. E. C. VanDyke and my young friends Barber, Fisher, Chapin and Buchanan of the National Museum.

To Dr. Walter B. Jones, Director of the Alabama Museum of Natural History, who for several years has made possible adequate collecting trips into the more remote parts of the State, many thanks are due.

CICINDELIDAE

- | | | |
|-----|---------------------------------|------------------|
| 108 | <i>Cicindela cuprascens</i> | Jones collector. |
| | Lec. N. Dr. W. B. | |
| 110 | <i>Cicindela lepida</i> Dej. N. | |

CARABIDAE

- | | | | |
|-------|--|-------|--|
| 127a | <i>Scaphinotus heros</i>
Harr. N. | 18693 | <i>Evarthrinus lilliputicus</i>
Csy. type loc. S. |
| 162 | <i>Sphaeroderus lecontei</i>
Dej. N. | 1085 | <i>Euferonia relicta</i>
(Newn.) N. |
| 308a | <i>Pasimachus morio</i> Lec.
N. | 1111 | <i>Gastrosticta amnicola</i>
Csy. N. |
| 359 | <i>Clivina impressifrons</i>
Lec. | 1168 | <i>Lophoglossus strenuus</i>
(Lec.). S. |
| 368 | <i>Clivina analis</i> Putz. | 1173 | <i>Omaseus ebeninus</i> Dej.
S. |
| 373 | <i>Clivina ferrea</i> Lec. S. | 1265 | <i>Bradytus exaratus</i> Dej.
N. |
| 432 | <i>Bembidion americanum</i>
Dej. | 1400 | <i>Amara cupreolata</i>
Putz. N. |
| 660 | <i>Bembidion variegatum</i>
Say. | 1450 | <i>Dicaelus dilatatus</i> Say.
N. |
| 705 | <i>Bembidion affine</i> Say. | 1451 | <i>Dicaelus planicollis</i>
Lec. S. |
| 829 | <i>Tachyura tripunctata</i>
Say). | 1466 | <i>Dicaelus ambiguus</i> Laf.
N. |
| 879 | <i>Tachys misellus</i> Laf. S. | 1468a | <i>Dicaelus angustus</i> Csyp.
N. |
| 929 | <i>Myas coracinus</i> (Say).
N. | 1473 | <i>Badister maculatus</i>
Lec. S. |
| | <i>Pseudanophthalmus lod-</i>
<i>ingi</i> Valentine. N.
type loc. | 1508 | <i>Platynidius angustatus</i>
(Dej.). |
| | <i>Pseudanophthalmus ala-</i>
<i>bamae</i> Valentine. N.
type loc. Dr. Valen-
tine collector. | 1522 | <i>Platynus extensicollis</i>
(Say). |
| 1067 | <i>Evarthrus sigillatus</i>
(Say). | 1532 | <i>Platynus sulcipennis</i>
Horn. S. |
| | <i>Evarthrus lodingi</i> van
Dyke. No type local-
ity. | 1556 | <i>Platynus ferreus</i>
(Hald.). |
| 1080 | <i>Ferestria obsoleta</i>
(Say). | 1591 | <i>Platynus quadrimacu-</i>
<i>latus</i> Horn. S. |
| 1083 | <i>Ferestria nanula</i> Csyp.
S. type loc. | 1609 | <i>Atranus pubescens</i>
(Dej.). |
| 18692 | <i>Evarthrinus alabam-</i>
<i>ensis</i> Csyp. type loc. S. | 1623 | <i>Zuphiump americanum</i>
Dej. |

1636	<i>Tetragonoderus fasciatus</i> Hald.	2024	<i>Selenophorus fossulatus</i> Dej. S.
1694	<i>Apristus subsulcatus</i> (Dej.).	2070	<i>Triplectrus carbonarius</i> (Say).
1750a	<i>Cymindis mobiliensis</i> Csy. S. type loc.	2071	<i>Triplectrus rusticus</i> (Say).
1771	<i>Helluomorpha texana</i> Lec. N.	2085	<i>Cephalogyne lodingi</i> (Schffr.). S. type loc.
1779	<i>Brachinus medius</i> Har- ris.	2088	<i>Anisodactylus nigerri- mus</i> Dej.
1853	<i>Chlaenius maxillosus</i> Horn. S.	2090	<i>Anisodactylus nigrita</i> Dej. N.
1878	<i>Geophilus incrassatus</i> (Dej.). N.	2107	<i>Anisodactylus coenus</i> Say.
1886	<i>Cratachanthus dubius</i> (Beauv.).	2127	<i>Anadaptus balti- morensis</i> (Say). N.
1897	<i>Harpalus erraticus</i> Say. N.	2198	<i>Stenocellus neglectus</i> (Lec.). S.
1910	<i>Harpalus erythropus</i> Dej. N.	2245	<i>Tachistodes indistinctus</i> (Dej.).
2009	<i>Harpalus vulpeculus</i> Say. N.	2251	<i>Agonoderus lineola</i> (Fab.). N.
2010	<i>Harpalus dichrous</i> Dej. N.	2256	<i>Agonoderus lecontei</i> Chd. N.

DYTICIDAE

2359	<i>Laccophilus fasciatus</i> Aubé.	2473	<i>Hydroporus vitiosus</i> Lec. S.
2394	<i>Bidessus lacustris</i> (Say). S.	2508	<i>Hydroporus signatus</i> Mann.
2396	<i>Bidessus floridanus</i> Fall. S.	2514	<i>Hydroporus niger</i> Say.
2449	<i>Hydroporus lobatus</i> Shp. S.	2523	<i>Hydroporus oblitus</i> Aubé.
2452	<i>Hydroporus clypealis</i> Shp. S.	2651	<i>Acilius semisulcatus</i> Aubé. S.
2464	<i>Hydroporus carolinus</i> Fall. S.	2654	<i>Thermonectes ornati- collis</i> (Aubé.). S.
2471	<i>Hydroporus striato- punctatus</i> Melsh. N.	2655	<i>Thermonectes basilaris</i> (Harr.). S.
		2667	<i>Cybister fimbriolatus</i> (Say).

Hydroporus all determined by Fall.

GYRINIDAE (det. Fall)

2671	<i>Dineutes vittatus</i> (Germ.). S.	2687	<i>Gyrinus aeneolus</i> Lec. S.
2674	<i>Dineutes discolor</i> Aubé.	19252	<i>Gyrinus pachysomus</i> Fall. S.
2682	<i>Dineutes emarginatus</i> Say.		

HYDROPHILIDAE

- 2788 *Derallus altus* (Lec.). 2821 *Paracymus lodingi*
S. (Fall). S. type loc.
2789 *Hydrous triangularis* 2843 *Enochrus reflexipennis*
(Say). (Zimm.). S.
2795 *Hydrophilus obtusatus* Say.

LEPTINIDAE

- 2906 *Leptinus testaceus* Müll. S.

SILPHIDAE

- 2911 *Necrophorus americanus* (Oliv.). N. 2964 *Ptomaphagus pusio*
(Lec.). N.
2918 *Necrophorus pustulatus* 2996 *Anisotoma alternata*
Herschel. N. (Melsh.). S.
2927 *Silpha noveboracensis* 3023 *Leiodes discolor* Melsh.
Forst. N. Dr. Walter B. Jones collector.

PSELAPHIDAE (determinations by Fletcher)

- 6190 *Batrisodes unicornis* 6320 *Decarthron longulum*
Csy. S. (Lec.). S.
6225 *Nisaxis tomentosa* (Aubé.). S.

SCAPHIDIIDAE

- 6482 *Scaphidium quadriguttatum* Say. 6492 *Scaphisoma ornatum*
Fall. S. type loc.
6482d *Scaphidium piceum* 6515 *Baeocera concolor*
Melsh. (Fab.). S.
6487 *Scaphisoma carolinæ* Csy.

HISTERIDAE (determinations by Ballou)

- 6605 *Hister orbiculus* Csy. 6734 *Caerosternus americanus*
S. type loc. (Lec.).
6607 *Hister osculatus* Blatch.
6664 *Phelister sayi* Carn. S. 6814 *Saprinus obsidianus*
type loc. Csy. S. type loc.
6670 *Phelister mobiliensis* 6836 *Saprinus assimilis*
Csy. S. type loc. Payk.
6674 *Phelister saunieri* 6844 *Saprinus convexiusculus* Mars. S.
Mars. S. 6864 *Saprinus rubriculus*
6676 *Phelister aeneomicans* 6879 *Saprinus sparsus* Csy.
Horn. S. Mars. S.
6680 *Phelister carnochani* 6880 *Saprinus divulsus* Csy.
Csy. type loc. 6896 *Saprinus patruelis* Lec.

LAMPYRIDAE

- 6965 *Pleotomus* sp. ? *davisi* 6997 *Photinus marginellus*
Lec. N. Lec.
6996 *Photinus pyralis* (L.).

- 6999 *Photinus scintillans* (Say). 7034 *Tytthonyx erythrocephala* (Fab.). S.

- 7025 *Phengodes sallei* Lec. S.

MELYRIDAE

- 7228 *Collops balteatus* Lec. S. 7305 *Attalus semirubidus* Fall. S. type loc.

- 7232 *Tennoptrophus impressus* Sz. S. 7306 *Attalus melanopterus* (Er.). S.

- 7304 *Attalus pallifrons* (Mots.).

CLERIDAE

- 7573 *Lecontella cancellata* (Lec.). S. 7688 *Isohydnocera longicollis* (Zieg.). S.

- 7595 *Enoclerus quadriguttatus* Oliv. 7717 *Cregya mixtus* Lec. S. 7718 *Cregya quadrifasciatus* Spin. S.

CUPESIDAE

- 7743 *Cupes capitatus* Fab. S.

OEDEMERIDAE

- 7757 *Xanthochroa trinotata* Lec. S.

MORDELLIDAE (determinations by Liljeblad)

- 7804 *Tomoxia bidentata* (Say). S. 7854 *Mordellistena pallipes* Smith. S.

- 7806 *Tomoxia inclusa* Lec. S. 7856 *Mordellistena ornata* (Melsh.). N.

- 19602 *Mordella atrata* Melsh. 7891 *Mordellistena fuscipennis* (Melsh.). S.

- 7829 *Glipodes sericans* (Melsh.). S. 7920 *Mordellistena texana* Smith. N.

- 7841 *Mordellistena limbalis* (Melsh.). S. 7925 *Mordellistena attenuata* (Say). S.

RHIPIPHORIDAE

- 7957 *Macrosiagon lineare* (Lec.). S.

MELOIDAE

- 7990 *Pomphopoea sayi* Lec. N. 8024a *Epicauta marginata* (Fab.).

- 7998 *Epicauta trichrus* (Pallas.). 8033 *Epicauta pennsylvanica* (DeG.).

- 8018 *Epicauta vittata* Fab. S. 8041 *Macrobasis tarsa* (Lec.). S.

- 8024 *Epicauta tinerea* (Forst.). 8149 *Meloë moerens* Lec. S. 8191 *Nemognatha vittigera* Lec. S.

PYROCHROIDAE

8220 *Neopyrochroa flabellata* Fab. N.

PEDILIDAE

8265 *Stereopalpus vestitus* 8279 *Macratria murina*

(Say). N.

(Fab.).

8278 *Macratria confusa* Lec. N.

ANTHICIDAE

8318 *Notoxus calcaratus* 8351 *Anthicus virginiae*

Horn.

Csy. S.

8325 *Mecynotarsus elegans* 8390 *Anthicus rixator* Csy.

Lec. S.

S.

8347 *Anthicus formicarius* 8454 *Anthicus pubescens*

Laf. S.

Laf. S.

8348 *Anthicus cinctus* Say. S.

RHIPICERIDAE

8543 *Zenoa picea* (Beauv.). 8546 *Sandalus niger* Knoch.

S.

ELATERIDAE

8554 *Adelocera impressicollis* (Say). 8909 *Glyphonyx quietus*

(Say). S.

8567 *Meristhus cristatus* 8910 *Glyphonyx inquinatus*

Horn. S.

(Say). S.

8602 *Conoderus (Monocrepidius) scissus* (Schffr.). S.8914 *Glyphonyx mimeticus* (Horn). S.8609 *Conoderus (Monocrepidius) bellus* Say.
Heteroderes fuscous (Blatch.). S.8959 *Elater manipularis* Cand. S.8624 *Limonius aurifer* Lec. N.8991 *Megapenthes angularis* Lec. S.8663 *Athous acanthus* (Say). N.9002 *Anchastus signaticollis* (Germ.).8667 *Athous cucullatus* (Say). N.9009 *Anchastus fuscus* (Lec.).8717 *Ludius bivittatus* (Melsh.). N.9012 *Anchastus digitatus* Lec. S.8834 *Hypnoidus choris* (Say).9014 *Anchastus rufus* Cand. S.8848 *Hypnoidus obliquatulus* (Melsh.).9023 *Melanotus secretus* (Lec.). S.8866 *Crigmus abruptus* (Say). S.9026 *Melanotus depressus* (Melsh.). S.8878 *Dolopius lateralis* Esch. N.9042 *Melanotus verberans* (Lec.). S.9116 *Horistonotus exoletus* (Er.). S.9119 *Esthesopus praeditus* Horn. S.

MELASIDAE

- | | | | |
|------|---|------|--|
| 9127 | <i>Isorhipis ruficornis</i>
(Say). N. | 9155 | <i>Microrhagus audax</i>
Horn. S. |
| 9131 | <i>Poecilochrus errans</i>
(Horn.). S. | 9159 | <i>Microrhagus bonvouloiri</i> Horn. S. |
| 9134 | <i>Deltometopus rufipes</i>
(Melsh.). N. Dr.
W. B. Jones collector. | 9164 | <i>Sarpedon scabrosus</i>
Bonv. N. |
| 9147 | <i>Fornax calceatus</i>
(Say). S. | 9171 | <i>Nematodes collaris</i>
Bonv. S. |
| | | 9174 | <i>Schizophilus subrufus</i>
(Rand.). |

BUPRESTIDAE

- | | | | |
|-------|---|------|--|
| 9349 | <i>Dicerca asperata</i>
(Cast.). | 9491 | <i>Agrilus bilineatus</i>
(Web.). S. |
| 9372a | <i>Buprestis consularis</i>
Gory. S. | 9499 | <i>Agrilus difficilis</i>
Gory. N. |
| 9377 | <i>Buprestis fasciata</i>
Fab. S. | 9508 | <i>Agrilus lacustris</i> Lec.
S. |
| 9386 | <i>Melanophila obtusa</i>
Horn. S. | 9522 | <i>Agrilus cephalicus</i> Lec.
S. |
| 9407 | <i>Chrysobothris scitula</i>
Gory. S. | 9539 | <i>Agrilus otiosus</i> Say. S. |
| 9408 | <i>Chrysobothris lecontei</i>
Leng. S. | 9548 | <i>Agrilus vittaticollis</i>
Rand. S. |
| 9448 | <i>Chrysobothris pusilla</i>
Cast. S. | 9551 | <i>Agrilus granulatus</i>
(Say). |

DRYOPIDAE (det Musgrave)

- | | | | |
|------|---|------|---|
| 9595 | <i>Throcinus politus</i> Csy.
S. | 9622 | <i>Helmis pusilla</i> (Lec.).
S. |
| 9603 | <i>Helichus lithophilus</i>
(Germ.). | 9635 | <i>Limnius ovalis</i> (Lec.).
N. |
| 9605 | <i>Helichus striatus</i> Lec.
S. | 9638 | <i>Heterelmis latiusculus</i>
(Lec.). N. |
| 9615 | <i>Helmis vittata</i> Melsh. | 9640 | <i>Macronychus glabratus</i>
(Say). N. |

DASCILLIDAE

- | | |
|------|-------------------------------------|
| 9659 | <i>Euryponer niger</i> (Melsh.). N. |
|------|-------------------------------------|

HELODIDAE

- | | | | |
|------|--------------------------------------|------|-------------------------------------|
| 9687 | <i>Helodes pulchella</i>
Guér. S. | 9688 | <i>Helodes fuscipennis</i>
Guér. |
|------|--------------------------------------|------|-------------------------------------|

CHELONARIIDAE

- | | |
|------|--------------------------------------|
| 9717 | <i>Chelonarium lecontei</i> Thom. S. |
|------|--------------------------------------|

BYRRHIDAE

- | | |
|------|----------------------------------|
| 9847 | <i>Nosodendron unicolor</i> Say. |
|------|----------------------------------|

NITIDULIDAE (determinations by Dietrich)

- 10016 *Cercometes abdominalis* (Er.). N. 10111 *Amphotis schwarzi* Ulke. S.
 10034 *Conotelus stenoides* Murr. S. 19689 *Perthalycra carolina* Wickh. S.
 10058 *Carpophilus brachypterus* (Say). 10061 *Carpophilus nitens* Fall. S. type loc.
Glischrochilus quadrisignata (Say). N.

CUCUJIDAE

- 10273 *Brontes dubius* Fab. 10276 *Telephanus velox* Hald.

EROTYLIDAE

- 10282 *Languria mozardi* Lat. S. 10324 *Tritoma tenebrosa* Fall. S.
 10286a *Languria uhleri* Horn. 10332 *Triplax macra* Lec. S.
 10293 *Acropteroxys lecontei* Cr. S. 10346 *Hypodacne punctata* Lec. S.
 10301 *Ischyurus alabamae* Schffr. S. type loc.

DERODONTIDAE

- 10353 *Derodontus maculatus* (Melsh.). S.

MYCETOPHAGIDAE

- 10501 *Mycetophagus pluri-punctatus* Lec. 10521 *Myrmechixenis latridioides* Cr. S.
 10508 *Mycetophagus obsoletus* Melsh.

COLYDIIDAE

- 10551 *Coxelus guttulatus* Lec.

LATHRIDIIDAE

- 10621 *Metaphthalmus americanus* Mots. S. type loc.

PHALACRIDAE

- 10777 *Olibrus lecontei* Csy. S.

COCCINELLIDAE

- 10888 *Hyperaspis regalis* Csy. S. 11023 *Scymnus natchezianus* Csy. S.
 10930 *Hyperaspis undulata* (Say). 11071 *Scymnus cinctus* Lec.
 11011 *Scymnus creperus* Muls. S. 11192 *Olla abdominalis* (Say).
 11231 *Epilachna corrupta* Muls. N.

CICIDAE (determinations by Dury)

- 12957 *Cis lodingi* Dury. S. type loc. 13007 *Xestocis castleci* Dury.
 12979 *Cis criberrima* Nellié. S. 13030 *Ceracis sallei* Mellié
 13037 *Octotemnus laevis* Csy.

SCARABAEIDAE

13047	<i>Canthon vigilans</i> Lec.	13496	<i>Phyllophaga gracilis</i> (Burm.).
13050	<i>Canthon chalcites</i> Hald. N.	13502	<i>Phyllophaga calceata</i> (Lec.). N.
13053	<i>Canthon perplexus</i> Lec.	13507	<i>Phyllophaga bipartita</i> (Horn.). N.
13073	<i>Phanaeus triangularis</i> (Say). N., col. Dr. W. B. Jones	13508½	<i>Phyllophaga cupuliformis</i> Langst. S.
13119	<i>Aphodius fimetarius</i> (L.). N.	13514	<i>Phyllophaga horni</i> (Smith). N.
13180	<i>Aphodius bicolor</i> Say. S.	13516	<i>Phyllophaga anxia</i> (Lec.).
13263	<i>Ochodaeus musculus</i> (Say). S.	13523	<i>Phyllophaga forsteri</i> (Burm.). S.
13277	<i>Hybosorus illigeri</i> Reiche. N., col. Dr. W. B. Jones.	13536	<i>Phyllophaga villifrons</i> (Lec.). N.
	<i>Odontaeus alabamensis</i> Wallis. S. type loc.	13539	<i>Phyllophaga delata</i> (Horn.). N.
13297	<i>Geotrupes ulkei</i> Blanch. N.	13545	<i>Phyllophaga albina</i> (Burm.). S.
13322	<i>Acanthocerus aeneus</i> McL.	13552	<i>Phyllophaga glabricula</i> (Lec.). S.
13355	<i>Serica georgiana</i> Leng. N. ^{1a} Sericas det. Dawson.	13562	<i>Phyllophaga antennata</i> (Smith). N.
13357	<i>Serica intermixta</i> Blatch. S.	—	<i>Phytalus vanalleri</i> Schffr. S. type loc.
19969	<i>Serica apatela</i> Daws. N. type loc.	13624	<i>Polyphylla variolosa</i> (Hentz.). N.
19970	<i>Serica mystaca</i> Daws. N.	13625	<i>Polyphylla comes</i> Csy. S.
19976½	<i>Serica parallela</i> Csy. S.	—	<i>Gronocarus automnalis</i> Schffr. S. type loc.
13377	<i>Diplotaxis rugosoides</i> Schffr. S.	13697	<i>Hoplia limbata</i> Lec. N.
13415	<i>Diplotaxis densicollis</i> Fall. S.	13741	<i>Pachystethus luciola</i> (Fab.). S.
13456	<i>Diplotaxis texana</i> Lec. N.	13742	<i>Pachystethus obliqua</i> (Horn.). N.
13488	<i>Phyllophaga uniformis</i> (Blanch.). ^{1a} S.	13746	<i>Strigoderma texana</i> Csy. N.
13489	<i>Phyllophaga forbesi</i> Glascow. S.	13799	<i>Ochrosidia protenta</i> Csy. S. type loc.
13491	<i>Phyllophaga longitarsis</i> (Say). N.	13824	<i>Ochrosidia sedentiosa</i> (Lec.). S.
		13859	<i>Ligyrus tumulosus</i> Burm. S.

^{1a} *Phyllophagas* mostly determined by Sim.

13868	<i>Aphonus tridentatus</i> (Say). S.	13980	<i>Cremastocheilus variolosus</i> Kby. N.
13877	<i>Aphonus saginatus</i> Csy. S. type loc.	14010	<i>Osmoderma scabra</i> (Beauv.). N.
13899	<i>Strategus sinuatus</i> Csy. type loc.	14026	<i>Trichius parvulus</i> Csy. N.
13902	<i>Xyloryctes satyrus</i> (Fab.). N.	14029	<i>Trichius lunulatus</i> (Fab.). S.
13916	<i>Phileurus texensis</i> Csy.	14030	<i>Valgus squamiger</i> (Beauv.).
13935	<i>Euphoria limbalis</i> Fall. S.	14031	<i>Valgus canaliculatus</i> L. N.
13964	<i>Stephanucha areata</i> (Feb.).		

LUCANIDAE

14034	<i>Pseudolucanus capreolus</i> (L.).	14038	<i>Dorcus brevis</i> Say. S.
14036	<i>Pseudolucanus placidus</i> Say). N.	14039	<i>Dorcus parallelus</i> Say. N.
14037	<i>Lucanus elaphus</i> Fab.	14041	<i>Platycerus quercus</i> Web.

CERAMBYCIDAE

14067	<i>Parandra brunnea</i> (Fab.). N.	14445	<i>Brachyleptura circumdata</i> var. with black antennae. N.
14141	<i>Criocephalus nubilus</i> Lec. S.	14465	<i>Strangalepta lineola</i> (Say). S.
14163	<i>Methia necydalca</i> (Fab.). S.	14469	<i>Strangalepta vittata</i> (Oliv.). N.
14227	<i>Aneflomorpha sub-pubescent</i> (Lec.). S.	14481	<i>Strangalia abdominalis</i> (Hald.). S.
14240	<i>Anoplium cinerascens</i> Lec. S.	14514	<i>Leptura emarginata</i> Linn.
14244	<i>Anoplium pinorum</i> Csy. S.	14525 $\frac{1}{2}$	<i>Leptura atrata</i> Lec. S.
14271	<i>Heterachthes quadrimaculatus</i> (Fab.). S.	14544	<i>Typocerus acuticauda</i> Csy. S.
14271a	<i>Heterachthes pallidum</i> Hald. S.	14548	<i>Typocerus lugubris</i> (Say). N.
14278	<i>Curius dentatus</i> Newn. S.	14554	<i>Ophistomis acuminata</i> (Oliv.). N.
14395	<i>Acmaeops directa</i> (Newn.). N.	14584a	<i>Molorchus corni</i> Hald. S.
14405	<i>Acmaeops discoidea</i> (Hald.). S.	14584b	<i>Molorchus semiustus</i> Newn. S.
14438	<i>Brachyleptura rubrica</i> (Say).	14668	<i>Cyllene chara</i> (Say). S.
14441	<i>Brachyleptura vagans</i> (Oliv.).	14741	<i>Cyrtophorus verrucosus</i> (Oliv.). N.

- 14746 *Euderces pini* (Oliv.). S. 14985a *Leiopus floridanus* Hald. S.
 14748 *Euderces reichei* Lec. S. 14986 *Leiopus foveatocollis* Ham. S.
 14792b *Tragidion fulvipenne* (Say.). S. found frequently in copulation with *T. coquus*. 15001 *Lepturges querci* Fitch. S.
 14853 *Batyle ignicollis* (Say.). S. 15011 *Hyperplatys nigrella* Hald. S.
 14906 *Ptychodes trilineatus* (L.). S. 15018 *Hyperplatys femoralis* Hald. S.
 14923 *Microgoes oculatus* (Lec.). N. 15072 *Eupogonius subarmatus* (Lec.). N.
 14925 *Plectrodera scalarator* (Fab.). 15073 *Eupogonius fraxini* Knull. S.
 14933 *Aegomorphus morrisi* Uhler. 15113 *Saperda calcarata* Say. S.
 14944 *Leptostylus albescens* (Hald.). S. 15113a *Saperda adspersa* Lec. S.
 14953 *Leptostylus arcuatus* Lec. S. 15117 *Saperda vestita* Say. N.
Leptostylus knulli Fisher. N. 15119 *Saperda lateralis* Fab.
 14960 *Astylopsis macula* (Say). N. 15124 *Mecas cana* (Newn.). S.
 14961 *Astylopsis guttata* (Say). S. 15128 *Mecas marginella* Lec. S.
 14976 *Leiopus fascicularis* (Harris). 15148a *Oberea tripunctata* (Fab.). S.
 15156 *Tetrops jucunda* Lec.

CHrysomelidae

- 15198a *Donacia cincticornis* Newn. S. 15440 *Pachybrachys bivittatus* (Say). N.
 15203 *Donacia subtilis* var. *tryphera* Schffr. S. 15461 *Pachybrachys confusus* Bowd. S.
 — *Donacia vicina* Lac. S. 15495c *Cryptocephalus ornatus* Clav. S.
 15217a *Donacia flavipes* var. *lodingi* Schffr. S. type loc. 15504 *Cryptocephalus trizonatus* Suffr. N.
 15226 *Zeugophora abnormis* (Lec.). S. 15507 *Cryptocephalus mutabilis* Melsh. S.
 15282b *Babia tetraspilota* Lec. S. 15534 *Bassareus mammifer* (Newn.). N.
 15309 *Griburius equestris* (Oliv.). S. 15545 *Nodonota tristis* (Oliv.).
 15407 *Pachybrachys atomarius* (Melsh.). 15546 *Nodonota clypealis* Horn.

15549	<i>Nodonota puncticollis</i> (Say).		<i>Oedionychis discicollis</i> Dej. S.
15573	<i>Xanthonia decemnotata</i> (Say).	15902a	<i>Disonycha leptolineata</i> Blatch.
15591	<i>Metachroma angustulum</i> Cr. S.	15904	<i>Disonycha discoidea</i> (Fab.).
15657	<i>Zygramma heterothecae</i> Linell. S.	15905	<i>Disonycha funcrea</i> (Rand.). S.
15677	<i>Calligrapha bigsbyana</i> (Kby.). N.	20209	<i>Disonycha lodingi</i> Schffr. S. type loc.
15708	<i>Lina lapponica</i> (L.).	20210	<i>Disonycha alabamae</i> Schffr. S. type loc.
15771	<i>Diabrotica balteata</i> Lec.	16032	<i>Longitarsis varicornis</i> Suffr. S.
15794	<i>Phyllobrotica limbata</i> (Fab.).	16159	<i>Metriona purpurata</i> (Boh.). S.
15811	<i>Luperodes davisi</i> Leng. N.		<i>Metriona lodingi</i> Schffr. S. type loc.
15851	<i>Phyllecthrus dorsalis</i> (Oliv.).		<i>Metriona marginepunctata</i> Schffr. S. type loc.
15860	<i>Pachyonychus paradoxus</i> Melsh. N. J. DeJarnette collector.	16161	<i>Coptocycla repudiata</i> Suffr. S.
15863	<i>Pseudolampsis guttata</i> (Lec.). S.		<i>Coptocycla pinicola</i> Schffr. S. type loc.
15872	<i>Oedionychis interjectionis</i> Cr. S.		

MYLABRIDAE

16182	<i>Mylabris bivulneratus</i> Horn. N.
-------	---------------------------------------

PLATYSTOMIDAE

16282	<i>Tropideres bimaculatus</i> (Oliv.).	16308	<i>Brachytarsus plumbicus</i> Lec. S.
16288	<i>Piezocorynus dispar</i> Gyll. S.		

CURCULIONIDAE

16492	<i>Tachygonus lecontei</i> Gyll. S.	16780	<i>Listronotus americanus</i> Lec. S.
16590	<i>Aracanthus pallidus</i> (Say). S.	16783	<i>Listronotus appendiculatus</i> (Boh.).
16732a	<i>Sitona hispidiceps</i> Csy. S.	16787	<i>Listronotus floridensis</i> Blatch. S.
—	<i>Listroderes obliquus</i> Fab. S.	16801	<i>Hyperodes solutus</i> (Boh.). S.
—	<i>Listroderes apicalis</i> Waterh. S.	16820	<i>Hyperodes subscrubratus</i> (Dietz). S.
16772	<i>Listronotus obliquus</i> Lec.	16838	<i>Hyperodes porcellus</i> (Say). S.

20263	<i>Hyperodes lodingi</i> Blatch. S. type loc.	20398	<i>Pseudobaris providens</i> Csy. S.
16881	<i>Derolomus bicolor</i> Lec. S.	17603	<i>Pachybaris porosa</i> Lec. S.
17026	<i>Anchodemus hubbardi</i> Lec. S.	17624	<i>Limnobaris blandita</i> Csy. S.
17030	<i>Bagous magister</i> Lec.	17646	<i>Limnobaris rectirostris</i> (Lec.). S.
17128	<i>Oopterinus perforatus</i> (Horn.). N.	17659	<i>Stethobaris ovata</i> Lec. S.
17160	<i>Balaninus pardalis</i> Chitt. ² S.	17744	<i>Auleutes tenuipes</i> (Lec.). S.
17176	<i>Balaninus victoriensis</i> var. <i>fulvus</i> Chitt. S.	17747	<i>Auleutes subfasciatus</i> Dietz. S.
17409	<i>Lixus amplexus</i> Csy. S.	17842	<i>Rhinoncus pyrrhopus</i> Boh. S.
17415	<i>Lixus musculus</i> Say. S.	17887	<i>Conotrachelus cribicollis</i> (Say). S.
17425a	<i>Lixus profundus</i> Chitt. S.	17889	<i>Conotrachelus tuberosus</i> Lec. S.
17432	<i>Lixus fimbriolatus</i> Boh. S.	17892	<i>Conotrachelus leucophaeatus</i> Fahr. S.
17434	<i>Lixus julichi</i> Csy. S. <i>Lixus lodingi</i> Chitt. S. type loc.	17986	<i>Cryptorhynchus tristis</i> Lec. S.
	<i>Lixus tricristatus</i> Chitt. S. type loc.	18102	<i>Calendra</i> (<i>Sphenophorus</i> Schön.) <i>acqualis</i> (Gyll.). S. ³
	<i>Lixus regularipennis</i> Chitt. S. type loc.	18106	<i>Calendra latinasus</i> (Horn.). S.
17470	<i>Baris cuneipennis</i> Csy.	18125	<i>Calendra chittendeni</i> (Blatch.). S.
20301	<i>Baris vagans</i> Csy.	18131	<i>Calendra destructor</i> (Chitt.). S.
20307	<i>Baris surrufa</i> Csy. S. type loc.	18133	<i>Calendra scoparius</i> (Horn.). S.
20342	<i>Baris modicella</i> Csy.	18155	<i>Calendra oblitus</i> (Lec.)
20349	<i>Baris mobiliensis</i> Csy. S. type loc.	20614½	<i>Calendra callosipennis</i> Chitt.
17518	<i>Glyptobaris rugicollis</i> (Lec.). S.	20616	<i>Calendra deficiens</i> Chitt. S.
17554	<i>Pseudobaris farcta</i> (Lec.). S.		

² Determination of *Balaninus* and *Lixus* by Chittenden.³ Determination of *Calendra* by Satterthwait.